



THERMOMETERS FOR BBQ COOKING & TEMPERATURE MONITORING

THERMAPEN® PROFESSIONAL THERMOMETER

- SuperFast reaches temperature in just 3 seconds
- Patented, automatic 360° rotational display
- Robust design & waterproof to IP66/67
- Motion-sensing sleep mode

The Thermapen is the UK's number one selling food thermometer. Used by hundreds of thousands of people worldwide, it offers a combination of speed, accuracy and convenience of use.

Using advanced technology the Thermapen Professional includes a number of innovative features. The patented 360° self-rotating display can be used in any position, in either hand. The unit incorporates an intelligent backlit display sensing light levels, automatically turning the backlight on/off in varying light conditions. The motion-sensing sleep mode with user changeable time delay, automatically turns the Thermapen Professional on/off when set down or picked up, maximising battery life.

The washable casing includes Biomaster Antimicrobial Technology that reduces bacterial growth and the ergonomic rubber seal minimises the risk of the ingress of water, dust or food. As well as being waterproof to IP66/67, it is still 'probably' the fastest reading contact thermometer on the market today.

The Thermapen Professional incorporates a reduced tip, stainless steel, penetration probe (Ø3.3 x 110 mm) that conveniently folds back through 180° into the side of the instrument when not in use.







Order code	Description
234-407	Thermapen Professional - grey
234-417	Thermapen Professional - white
234-427	Thermapen Professional - yellow
234-437	Thermapen Professional - green
234-447	Thermapen Professional - red
234-457	Thermapen Professional - blue
234-477	Thermapen Professional - black
234-487	Thermapen Professional - orange
234-497	Thermapen Professional - pink
234-507	Thermapen Professional - purple
830-460	Protective silicone boot
830-465	Silicone boot - glow in dark
830-110	Protective wallet
830-001	Zip pouch
832-002	Stainless steel wall bracket



Specification	Thermapen Professional	
Range	-49.9 to 299.9 °C	
Resolution	0.1 °C or 1 °C - user selectable	
Accuracy	±0.4 °C (-49.9 to 199.9 °C) otherwise ±1 °C	
Battery	1 x 1.5 volt AAA	
Battery life	3000 hours (normal use, without backlight)	
Sensor type	Kthermocouple	
Display	14.5 mm (horizontal) & 12 mm (vertical) LCD	
Dimensions	19 x 50 x 157 mm	
Weight	120 grams	
FREE traceable certificate of calibration included		



THERMAQ® TWO CHANNEL THERMOMETER KIT

- Monitor both grill & food temperature at the same time
- Audible alarm with variable volume control
- Wide temperature range -99.9 to 1372 °C
- Programmable high/low alarm

The ThermaQ thermometer allows the user to simultaneously use two type K thermocouple probes whilst displaying both current temperatures and the maximum and minimum recorded temperatures. This allows the user to monitor, for example, both an item of food and the oven air temperature at the same time or monitor the rise and fall of temperatures across appliances.

The thermometer measures temperature over the range of -99.9 to 299.9 °C with a 0.1 °C resolution or 300 to 1372 °C with a 1 °C resolution. The unit features a large, easy to read LCD display with °C/°F, T1, T2, max/min, open circuit, low battery indication, programmable high/low audible alarm and a user selectable backlight, ideal for low-lit areas.

The instrument is housed in an ergonomic, ABS case that includes Biomaster Antimicrobial Technology to reduce bacterial growth. An integrated rubber seal ensures complete water resistance and helps reduce the possibility of damage in harsh environments.

We offer an extensive range of interchangeable type K thermocouple probes for a variety of different applications, see below for a small selection of probes available or for our complete range visit our website.

Order code	Description
860-650	ThermaQ kit
231-050	ThermaQ - unit only*
830-258	Protective silicone boot - black
832-015	Stainless steel wall bracket
*Evalusive of probes when purchased as a unit only	



- ThermaQ thermometer (231-050)
- Penetration probe & braided lead (823-501)
- Crocodile clip oven probe & braided lead (133-041).
- Protective silicone boot with stand black (830-258)
- FREE protective zip wallet



Specification	ThermaQ
Range	-99.9 to 1372 °C
Resolution	0.1 °C to 299.9 °C thereafter 1 °C
Accuracy	±0.4 °C ±0.1% of reading
Battery & life	3 x 1.5 volt AAA - 3000 hours
Sensor type	Kthermocouple
Display	Custom LCD
Dimensions	32 x 71 x 141 mm
Weight	230 grams
FREE traceable certificate of calibration included	

		Order code
OVEN/AIR PROBE & CLIP grate clip Ø3.5 x 50 mm	This oven/air probe is ideal for monitoring air temperatures. Using the grate clip provided, attach the probe to an oven rack/shelf. Supplied with a two metre stainless steel braided lead. • Response time less than 4 seconds • Probe temperature range -50 to 350 °C	133-441 830-530 (spare clip)
CROCODILE CLIP OVEN PROBE crocodile clip → Ø4 x 20 mm with 2000 mm lead	Oven probe incorporating a crocodile clip that can easily be attached to an oven rack or similar. Supplied with a two metre stainless steel braided lead. Response time less than 2 seconds Probe temperature range -50 to 350 °C	133-041
(133-177) (134-177) (134-177) (135-177) (135-177)	These stainless steel penetration probes are ideal for continuous monitoring in ovens. Supplied with a two metre stainless steel braided lead or stainless steel armoured lead. Response time less than 4 seconds Probe temperature range -50 to 250 °C	133-177 (braided) 133-178 (armoured)

Longer leads are available for the probes above, please contact our technical sales office for more information.



THERMAQ® WIFI LOGGER KIT

- Monitor both air & food temperatures simultaneously
- Email alerts when alarm limits are exceeded

The Therma Q WiFi logger is a battery powered, temperature monitoring system that utilises the latest WiFi wireless technology. The logger transmits the recorded data to a WiFi router connected to the internet which can be accessed and viewed from a PC, laptop or mobile device anywhere in the world.

Each logger has a intuitive LCD displaying temperature (two-channel), WiFi connection status, max/min recorded temperatures, alarm status and battery life.

Available as a FREE download, the 'Therma Q App' provides simple-to-set high/low alarms. Saved data can be exported for analysis as an Excel (.csv) file. See previous page for a small selection of probes available or for our complete range visit our website. The Therma Q WiFi kit includes 2 x probes (133-041 & 133-177), tripod, protective boot and a FREE zip wallet.

Order code	Description
860-931	ThermaQ WiFi kit
299-121	ThermaQ WiFi - unit only*
830-880	Protective boot - black
830-800	Magnetic mount
*Exclusive of probes when purchased as a unit only	





Crocodile clip oven probe (133-041)

16400015 server

ThermQ WiFi
-100 to 1372 °C
0.1°C/°F to 999.9 thereafter 1°C
±0.4 °C ±0.1% of reading
2 x 9000 readings
0.1 to 330 minutes
2 x 1.5 volt AA - approx. 12 months
12 mm LCD
29 x 72.5 x 96 mm
165 grams

FREE traceable certificate of calibration included

Please note: the ThermaQ WiFi has a range limited to the specification of the users WiFi router.

THERMAQ® BLUE THERMOMETER KIT

- Two channel type K input dual monitoring
- ThermaQ® App for iOS & Android

The ThermaQ Blue thermometer is designed to monitor temperatures remotely. Transmitting temperature data to your iOS, Android or Bluetooth® wireless device via a secure connection of up to 50 metres.

Each unit is housed in an ergonomic case and incorporates a backlit LCD and 2 LED's which indicate alarm status. See previous page for a small selection of interchangeable type K thermocouple probes available or for our complete range visit our website.

Available as a FREE download, the 'Therma Q App' software reads two temperatures and provides simple-to-set high/low alarms. The 'Therma Q App' can export saved data for further analysis as an Excel (.csv) file. The Therma Q Blue kit includes 2 x probes (133-041 & 133-177), tripod and a FREE zip wallet.

Order code	Description
860-921	ThermaQ Blue kit
292-921	ThermaQ Blue*
830-210	Protective boot - white
830-800	Magnetic mount
*Exclusive of probes when purchased as a unit only	



Crocodile clip oven probe (133-041)



Specification	ThermaQ Blue	
Range	-199.9 to 1372 °C	
Resolution	0.1°C/°F to 999.9 thereafter 1°C	
Accuracy	±0.4°C ±0.1% of reading	
Bluetooth module	Bluetooth LE	
Battery & life	1 x AA - 4000 hours	
Sensor type	K thermocouple	
Display	12 mm LCD	
Dimensions	34 x 66 x 109 mm	
Weight	172 grams	
FREE traceable certificate of calibration included		

Please note: Bluetooth LE thermometers have a range of 50 metres depending on the users smart device make and model.

Environmental conditions may also affect the signal strength.

